



www.tri-star.co.in

TRI-VW-SOD-TST SERIES:



Features:

- **6000 – 10000nits brightness**
- **14bit grayscale**
- **7680HZ refresh rate.**
- **P4 / 4.44 / 6.67 / 8 / 10 available**
- **Higher contrast, max 40000: 1***
- **Efficient Heat dissipation with multiple special design**
- **Superior Waterproof performance-IP65**
- **Stable structure and better structural strength**

* Note: These specifications are subject to change without any prior notice.

Technical parameters-TRI-VW-SOD-TST-6.7:

Parameter	Value
Pixel Configuration	SMD2727
Pixel Pitch (mm)	6.67
Pixel density (pixels/sq.m.)	22500
Cabinet Dimensions (WxHxD)/(mm)	960x960x91
Module Dimensions (WxH)/(mm)	480X320
Cabinet weight (kg/panel)	25
Color Grayscale (Bit)	14bit
Refresh Rate (Hz)	3840-7680
Brightness (nits)	6000-10000
Optimal Horizontal Viewing Angle (°)	160
Optimal Vertical Viewing Angle (°)	Up50/Down60
Contrast ratio	5500-10000:1
AC Input Power Maximum Value (W/m ²)	640-750
AC Input Power Typical Value (W/m ²)	213-250
IP rating (Front/Rear)	IP65/IP65
Certification	BIS

* Note: These specifications are subject to change without any prior notice.