

4K AI Auto-Tracking Video Bar

TRI-WEBCAM-831

Large venues | Live events & performing arts | Auditorium | planetarium | Network Operation Centers

Features:

- · AI face tracking.
- 2K camera.
- Built-in 2 microphone array and speaker.
- · Camera fill light
- Camera cover for privacy protection.
- Bracket support 360° free adjustment.
- USB connection, driver free.
- Cost-effective for personal workspace and home.





TRI-WEBCAM-831

Technical specifications

Parameter	Value
	Camera:
Sensor size	1/3.0"
Pixel	8.0 Mega-pixel (4K)
Focus	Auto Framing and face tracking
Zoom	4 Times Digital Zoom
	Ai Speaker Tracking
Interface	USB2.0
Image resolution	Maximum 3840*2160/30fps
Photo resolution	Maximum 3840*2160/30fps
View Angle	D94°/H90°/V55°
Minimum Illumination	50Lux
Aperture/Brightness/Contrast	Automatic
Shortest shooting distance	50cm
White balance	Automatic
Video format support	MJPEG, YUV2, H.264, H.265
	Speaker
	Built in hi-fi speaker
3A audio	processing for AEC, AGC, ANS
	Microphone
Number of Microphones	2*MIC
Directivity	Omnidirectional
Signal to Noise Ratio	64.5dB
Sensitivity	-26dB
Maximum Sound Pressure Level (SPL)	120dB
Frequency response	20Hz~8KHz
Voice Pick up Range	up to 7m
Supported Systems	Windows® 11, Windows® 10, Windows 8, Windows 7, / macOS® 10.10 or above / Chrome OS TM / Android TM v 5.0 or above
Dimensions and weights	Size of the Camera: 260 W x 56 H x 60 D (mm), 0.4kg Size of the Package: 275 W x 98.5 H x 78 D (mm), 0.55kg
	Package contents
1	x Conference Camera
	1 x User Manual
1 x	Camera Remote Control

For the most current specification information, please visit tri-star.co.in



TRI-WEBCAM-831

Technical specifications

Parameter	Value	
Other features		
Cable Length	1.8m	
UVC Protocol	YES	
LED indicator	YES	
Mounting brackets	YES	
Remote control	YES	
Operating conditions		
Operating temperature	0~40°C	
Relative humidity	5~95%, noncondensing	
Storage temperature	-10~70°C	
Warranty	1 Year	

For the most current specification information, please visit tri-star.co.in